

1977 PONTIAC POLICE CARS



Ventura



Catalina



LeMans

In 1977, Pontiac adds to its growing reputation with Police Enforcement Buyers with the introduction of an all-new Catalina, featuring full-size interior roominess with trim exterior dimensions, tough and durable — ideal for police use.

DIMENSIONS & CAPACITIES

1977 PONTIAC POLICE CARS

CATALINA

4-Door Wagons
214.7" O.A. Length
(5453mm)



4-Door Sedan
213.8" O.A. Length
(5431mm)

EXTERIOR:		INCHES	MM	INTERIOR:		INCHES	MM	WAGON:	INCHES	MM
Wheelbase		115.9	2944	Head room, front	Sedan	39.0	991	Floor load length, max.	90.7	2304
Height, O.A. (Ld.)	Sedan	53.9	1369		Wagon	39.2	996	Floor load width, min.	48.6	1234
	Wagon	57.3	1455	Head room, rear	Sedan	38.0	965	Rear opening height	29.0	736
Width, O.A.		75.4	1915		Wagon	39.2	996	CAPACITIES:		
Tread, front	Sedan	61.7	1567	Leg room, front		42.2	1072	Fuel	20.0 gals. 76 litres	
	Wagon	62.1	1577	Leg room, rear	Sedan	39.5	1003	Trunk (Sedan)	20.2 cu.-ft. 572 litres	
Tread, rear	Sedan	60.7	1542		Wagon	38.4	975	Cargo (Wagon)	87.3 cu.-ft. 2472 litres	
	Wagon	64.1	1628	Shoulder room, front		61.0	1549			
Ground clearance, min. (running)	Sedan	5.6	142	Shoulder room, rear		59.4	1509			
	Wagon	6.0	152	Seat height, front		8.7	221			
				Seat height, rear	Sedan	11.5	292			
					Wagon	12.1	307			
				Knee room, rear	Sedan	3.7	94			
					Wagon	2.0	52			

LE MANS

2-Door HT Coupe
208.0" O.A. Length
(5283mm)

4-Door HT Sedan
212.0" O.A. Length
(5385mm)



EXTERIOR:		INCHES	MM	INTERIOR:		INCHES	MM	CAPACITIES:
Wheelbase	Sedan	116.0	2946	Head room, front	Sedan	37.9	963	Fuel 22.0 gals. 83 litres
	Coupe	112.0	2845		Coupe	37.2	945	Trunk 15.1 cu.-ft. 428 litres (14.1, 399 litres, Coupe)
Height, O.A. (Ld.)	Sedan	53.5	1359	Head room, rear	Sedan	37.2	945	
	Coupe	52.7	1339		Coupe	36.7	932	
Width, O.A.		77.0	1956	Leg room, front		42.5	1156	
Tread, front		61.6	1565	Leg room, rear	Sedan	37.0	940	
Tread, rear		61.1	1552		Coupe	32.9	836	
Ground clearance, min.		4.9	124	Shoulder room, front		59.6	1514	
				Shoulder room, rear	Sedan	58.9	1496	
					Coupe	57.9	1471	
				Seat height, front		8.4	213	
				Seat height, rear	Sedan	11.0	297	
					Coupe	10.1	257	
				Knee room, rear	Sedan	1.4	36	
					Coupe	-1.3	-33	

VENTURA

EXTERIOR:	INCHES	MM	INTERIOR:	INCHES	MM	CAPACITIES:
Wheelbase	111.1	2822	Head room, front	39.3	998	Fuel 20.5 gals 76 litres
Height, O.A.	53.2	1351	rear	36.6	930	Trunk 13.2 cu.-ft. 374 litres
Width, O.A.	72.4	1839	Leg room, front	41.7	1059	
Tread, front	61.8	1570	rear	34.9	886	
Tread, rear	59.6	1514	Shoulder room, front	56.6	1438	
Grd. Clr. Min.	4.2	107	rear	56.7	1440	
			Seat height, front	7.8	198	
			rear	11.3	287	
			Knee room, rear	0.5	13	

4-Door Sedan
199.6" O.A. Length
(5070mm)



STANDARD FEATURES

- All-new car with more head room, rear seat leg room, larger trunk and trimmer exterior size than last year.
- Engines with solid-state High Energy Ignition systems
- Three-speed Turbo Hydra-matic transmission
- Power Steering
- Power front disc brakes
- Energy-absorbing front and rear bumpers
- New deluxe cushion steering wheel
- New column-mounted dimmer switch
- High-low level body ventilation
- Ashtray light
- Cloth-and-Morrokide interior trim
- Glove compartment light
- Inside hood-latch release
- Single-buckle seat-and-shoulder belts
- Luggage compartment mat
- Moldings:
 - Windshield
 - Hood rear edge
 - Roof drip-rail
 - Rear quarter
 - Rear window
 - Rocker panel
 - Wheel opening

POLICE OPTION PACKAGES

	☐ B07 POLICE PATROL Light Duty Package (Sedan or Wagon)	☐ B09 FREEWAY ENFORCER Heavy Duty Package (Sedan only)
Engine	☐ 301 CID (5.0 litre) V-8, 2 Bbl. Min. Mand. (\$) Sdn. (N/A Calif.) ☐ 301 CID (5.0 litre) V-8, 2 Bbl. Wgn. (N/A Calif.) ☐ 350 CID (5.7 litre) V-8, 4 Bbl. (\$) Sdn. ☐ 400 CID (6.0 litre) V-8, 4 Bbl. (\$) Wgn.	☐ 400 CID (6.6 litre) V-8, 4-Bbl., (N/A Calif.) ☐ 403 CID (6.6 litre) V-8, 4-Bbl., (Calif. or High Alt.)
Transmission:	Turbo Hydra-matic	Turbo Hydra-matic
Rear axle ratio:	Std. w/eng. option*	3.08, Std. 3.23 Opt. (2.93 Std., 3.08 Opt. Calif.)
Brakes:	H.D. power, front disc/rear drum	H.D. power, front disc/rear drum
Steering: (Sedan) (Wagon)	Power, straight-ratio Power, variable-ratio	Power, straight-ratio (high effort)
Battery:	H.D. 4000-watt	H.D. 4000-watt
Alternator:	63 amp	80 amp
Radiator:	Super cooling	Super cooling
Seats, front:	Heavy-Duty	Heavy-Duty
Floor covering:	H.D. rubber	H.D. rubber
Wheels:	H.D. 15" x 7"	H.D. 15" x 7"
Tires, radial:	GR70 x 15 B/W Police Special (Sedan) HR70 x 15 B/W Police Special (Wagon)	GR70 x 15 B/W Police Special
Speedometer:	Certified, 2 MPH increments to 120 MPH	Certified, 2 MPH increments to 120 MPH
Radio suppression:	Std. grd. straps and capacitors	Std. grd. straps and capacitors
Low-gear blackout:	Standard (Dealer installed)	Standard (Dealer installed)
Frame:	Base	Heavy Duty
Suspension:	Combination R.T.S. Handling and Firm Ride Packages*	Special equipment*

*Refer to Specifications Page 5 (\$) Extra cost engine

- Engines with solid-state High Energy Ignition system
- Dual rectangular headlights
- Wraparound front parking and tail lights
- Concealed windshield wipers
- Energy-absorbing front and rear bumpers
- New deluxe cushion 3-spoke steering wheel
- Single-buckle seat-and-shoulder belts
- Tilt-type inside non-glare mirror
- Moldings:
 - Windshield
 - Quarter window
 - Rear window
 - Roof drip-rail

	☐ B07 POLICE PATROL Light Duty Package (Coupe or Sedan)	☐ B09 FREEWAY ENFORCER Heavy Duty Package (Coupe or Sedan)
Engine	☐ 231 CID (3.8 litre) V-6, 2-Bbl. ☐ 301 CID (5.0 litre) V-8, 2-Bbl. (\$) (N/A Calif.) ☐ 350 CID (5.7 litre) V-8, 4-Bbl. (\$)	☐ 400 CID (6.6 litre) V-8, 4-Bbl., (N/A Calif.) ☐ 403 CID (6.6 litre) V-8, 4-Bbl. (Calif. or High Altitude)
Transmission:	Turbo Hydra-matic	Turbo Hydra-matic
Rear axle ratio:	Std. with engine option*	3.08, Std.
Brakes:	H.D. power, front disc/rear drum	H.D. power, front disc/rear drum
Steering:	Power, straight-ratio	Power, straight-ratio (high effort)
Battery:	H.D. 4000-watt	H.D. 4000-watt
Alternator:	61-80 amp*	80 amp
Radiator:	Super cooling	Super cooling
Seats, front:	Heavy Duty	Heavy Duty
Floor covering:	H.D. rubber	H.D. rubber
Wheels:	H.D. 15" x 7"	H.D. 15" x 7"
Tires, radial:	GR70 x 15 B/W Police Special	GR70 x 15 B/W Police Special
Speedometer:	Certified, 2 MPH increments to 120 MPH	Certified, 2 MPH increments to 120 MPH
Radio suppression:	Standard grd. straps and capacitors	Std. grd. straps and capacitors
Low-gear blackout:	Standard (Dealer installed)	Standard (Dealer installed)
Frame:	Base	Heavy Duty
Suspension:	Combination R.T.S. Handling and Firm Ride Packages*	Special equipment*

*Refer to Specifications, Page 5 (\$) Extra cost engine

- Engines with solid-state High Energy Ignition systems
- Energy-absorbing front and rear bumpers
- New deluxe cushion steering wheel
- Front door dome light switches
- Front and rear armrests
- Low-level body insulation
- Windshield washer
- Moldings:
 - Windshield
 - Rear Window
 - Roof drip-rail

☐ **B07 POLICE PATROL Light Duty Package**

Engine:

☐ 305 CID (5.0 litre) V-8 2-Bbl. (\$)
 ☐ 350 CID (5.7 litre) V-8 4-Bbl. (\$) (Calif. or High Alt.)

☐ 231 CID (3.8 litre) V-6 2-Bbl. Min. Man. (\$)

Transmission:	Turbo Hydra-matic (mandatory extra cost)		
Rear axle ratio:	Std. w/eng. option*	Floor covering, front:	H.D. rubber
Brakes:	H.D. Power Disc.	Tires, radial:	FR 70 x 14 B/W Police Special
Battery:	H.D. 4000-watt	Speedometer:	Certified, 2 MPH increments to 120 MPH
Alternator:	61-63-amp*	Radio suppression:	Std. Grd. straps and capacitors
Radiator:	Super cooling w/V-8 engines	Low-gear blackout:	Standard (Dealer installed)
Seats, front:	Heavy Duty	Suspension:	Combination R.T.S. Handling and Firm Ride
Wheels:	H.D. 14" x 7"		Packages*

*Refer to Specifications, Page 5. (\$) Extra cost engine

OTHER AVAILABLE OPTIONS

GENERAL:

- ☐ CD4 Controlled-cycle windshield washer
- ☐ UE8 Digital clock
- ☐ U14 Fuel economy indicator (inc. in instrument panel cluster)
- ☐ D64 Illuminated R.H. visor mirror
- ☐ C65 Automatic temperature air conditioning
- ☐ C60 Custom air conditioning
- ☐ UP3 Integral CB/AM-FM stereo
- ☐ B90 Side window reveal moldings (Sedan only)
- ☐ B85 Window sill moldings
- ☐ B84 Body side moldings
- ☐ B93 Door edge guards
- With POLICE PATROL or FREEWAY ENFORCER Package:**
- ☐ AU1 Single key — single car
- ☐ AU7 Single key — total fleet (except tailgate on wagon)
- ☐ A76 H.D. rear seat back and cushion
- ☐ C82 Inoperative door jamb switch

- ☐ C91 Front mounted dome light
- ☐ UX9 Front speaker only (3.5 ohms)
- ☐ U25 Luggage compartment light
- ☐ U32 Police instrument panel cluster
- ☐ U90 Roof flasher wiring harness (Sdn. only)
- ☐ A02 Soft Ray glass — windshield only
- ☐ U38 Low coolant warning system
- ☐ DG1 Mirror — R.H., chrome, man. adj.
- ☐ A51 Bucket seats, vinyl
- ☐ AM6 60/40 seats cloth or vinyl
- ☐ GU5 3:23 rear axle ratio (Heavy Duty package only)
- ☐ B30 Carpets, nylon, color-keyed
- ☐ U88 Hole, roof panel (with roof flasher wiring harness only)
- ☐ P14 Spare tire relocated to left side
- ☐ QRJ Tires, radial — GR70 x 15 W/W Police Special
- ☐ QQB Tires, radial — HR70 x 15 B/W Police Special
- ☐ QJM Tires, radial — HR70 x 15 W/W Police Special

GENERAL:

- ☐ K05 Engine block heater
- ☐ AC1 Six-way power seat, L.H. (with 60/40 seat only)
- ☐ N65 Stowaway spare tire
- ☐ UR1 Fuel economy indicator
- ☐ C60 Custom air conditioning
- ☐ N65 Automatic temperature air conditioning
- ☐ B85 Windshield molding and hood rear edge molding
- ☐ B84 Body side moldings
- ☐ B93 Door edge guards
- ☐ B83 Wheel opening moldings — Rocker Panel
- With POLICE PATROL or FREEWAY ENFORCER Package:**
- ☐ AU1 Single key — single car
- ☐ AU7 Single key — total fleet
- ☐ A76 H.D. rear seat back and cushion
- ☐ C82 Inoperative door jamb switch

- ☐ C91 Front mounted dome light
- ☐ UX9 Front speaker only (3.5 ohms)
- ☐ U25 Luggage compartment light
- ☐ U90 Roof flasher wiring harness
- ☐ U32 Police instrument panel cluster
- ☐ A02 Soft Ray glass, windshield only
- ☐ U38 Low coolant warning system
- ☐ DG1 Mirror — R.H., chrome, man. adj.
- ☐ A51 Bucket seats, vinyl
- ☐ AM6 60/40 seats, cloth or vinyl
- ☐ GU5 3:23 rear axle ratio (Heavy Duty package only)
- ☐ B30 Carpets, nylon, color-keyed
- ☐ U88 Hole, roof panel (with roof flasher wiring harness only)
- ☐ QRJ Tires, radial — GR70 x 15 w/w Police Special
- ☐ P14 Spare tire relocated to left side

GENERAL:

- ☐ A31 Power windows
- ☐ AU3 Power door locks
- ☐ CD4 Controlled cycle windshield washer system
- ☐ C60 Custom air conditioning
- ☐ B90 Side window reveal moldings
- ☐ B93 Door edge guards
- ☐ BW2 Body side moldings

- ☐ B83 Rocker panel moldings (narrow type)
- ☐ B96 Wheel opening moldings
- ☐ B80 Roof drip-rail moldings
- With POLICE PATROL Package:**
- ☐ AUL Single key — single car
- ☐ AU7 Single key — total fleet
- ☐ C82 Inoperative door jamb switch
- ☐ C91 Front mounted dome light
- ☐ UX9 Front speaker only

- ☐ U25 Luggage compartment light
- ☐ U90 Roof flasher wiring harness
- ☐ U32 Police instrument panel cluster
- ☐ A02 Soft Ray glass, windshield only
- ☐ DG1 Mirror — R.H., chrome, man. adj.
- ☐ A51 Bucket seats, vinyl
- ☐ B30 Carpets, nylon, color-keyed
- ☐ U88 Hole, roof panel (with roof flasher wiring harness only)

1977 PONTIAC POLICE CARS PACKAGES AND ENGINE SPECIFICATIONS

POLICE PATROL — B07 LIGHT DUTY

MODEL SERIES	CATALINA	CATALINA	LE MANS	VENTURA
Body Style	BL69 Sedan	BL65 Station Wagon	AD-AG37 Coupe/AD-AG29 Sedan	XY69 Sedan
Power Front Disc Brakes	HD Semi-Metallic	HD Semi-Metallic	HD Semi-Metallic	HD Semi-Metallic
Power Rear Drum Brakes	11" x 2" — HD Drum	11" x 2" — HD Drum	11" x 2" — HD Drum	9-1/2" HD Lining
Tires	GR70-15 Police Special	HR70-15 Police Special	GR70-15 Police Special	FR70-14 Police Special
Wheels	15 x 7 x 5.00 HD	15 x 7 x 5.00 HD	15 x 7 x 4.75 HD	14 x 7 x 4.75
Steering Gear (Power Steering)	14:1 Straight Ratio	16/13:1 Variable Ratio	16/13:1 Variable Ratio	16/13:1 Variable Ratio
Frame	Base	Base	Base	Base
Front Stab. Bar	1.181" 30MM	1.181" 30MM	1.125" 29MM	1.125" 29MM
Rear Stab. Bar	.866" 22MM	.630" 16MM	.75" 19MM	.56" 14MM
Front Springs	440# /in.	440# /in.	440# /in.	400# /in.
Rear Springs	155# /in.	210# /in.	140# /in.	125# /in.
Front Upper Cont. Arm Bush.	HD	HD	Base	Base
Front Lower Cont. Arm Bush.	HD	HD	Base	Base
Rear Upper Cont. Arm Bush.	HD	Base	Base	—
Rear Lower Cont. Arm Bush.	Base	Base	Base	—
Front Shocks	HD Special Calibrated	HD Special Calibrated	HD Special Calibrated	HD Special Calibrated
Rear Shocks	HD Special Calibrated	HD Special Calibrated	HD Special Calibrated	HD Special Calibrated
Battery	4000 Watt	4000 Watt	4000 Watt	4000 Watt
Cooling	Super Cooling	Super Cooling	Super Cooling	Super Cooling
L/S Axle Option	Available	Available	Available (V8s only)	Available

B07 AXLE AND ALTERNATOR USAGE

ENGINES	AXLE RATIOS				ALTERNATORS			
	Catalina Sedan	Catalina Wagon	LeMans Coupe/Sedan	Ventura Sedan	Catalina Sedan	Catalina Wagon	LeMans Coupe/Sedan	Ventura Sedan
LD7/231-2bbl. 3.8 litre N/A Calif.			2.73/3.23	2.56/3.23			61	63
Calif. & Alt.			3.23	3.23			61	63
L27/301-2bbl. 5.0 litre N/A Calif.	2.41/3.08	2.56	2.56		63	63	63	
LG3/305-2bbl. 5.0 litre N/A Calif.				2.56				61
L34/350-4bbl. 5.0 litre N/A Calif.	2.41				80			
Calif. only	2.41	2.73	2.41		80	80	63*	
LM1/350-4bbl. 5.7 litre Calif. only				2.56/3.08				61
L76/350-4bbl. 5.7 litre N/A Calif.	2.41		2.41		80		80	
*80 w/air conditioning								

FREEWAY ENFORCER (B09 HEAVY DUTY)

MODEL SERIES	CATALINA	LE MANS
Body Style	BL69 Sedan	AD-AG37 Coupe/AD-AG29 Sedan
Engine	(1) 400 V-8/4 Fed. (N/A Calif.) (2) 403 V-8/4 6.6 litre Calif. (Calif. only)	(1) 400 V-8/4 Fed. (N/A Calif.) (2) 403 V-8/4 6.6 litre Calif. (Calif. only)
Transmission (Lo-gear Blockout Avail.)	M38	(1) M40 (2) M38
Axles	3.08 Standard (1) 3.23 Available (2) 2.73 Available	3.08 Standard (1) 3.23 Available (2) 2.73 Available
Power Front Disc Brakes	HD Semi-Metallic	HD Semi-Metallic
Power Rear Drum Brakes	11" x 2" Organic — HD Drum	11" x 2" Organic — HD Drum
Tires	GR70-15 Police Special	GR70-15 Police Special
Wheels	15 x 7 x 5.00 HD	15 x 7 x 4.75 HD
Steering Gear (Power Steering)	14:1 Straight Ratio Special High Effort	16/13:1 Variable Ratio Special High Effort
Frame	HD	HD
Front Stab. Bar	1.181" 30MM	1.125" 29MM
Rear Stab. Bar	.945" 24MM	1.00" 25MM
Front Springs	550# /in.	550# /in.
Rear Springs	350# /in.	300# /in.
Front Upper Cont. Arm Bush.	HD	Base
Front Lower Cont. Arm Bush.	HD	Base
Rear Upper Cont. Arm Bush.	HD	HD
Rear Lower Cont. Arm Bush.	HD	HD
Front Shocks	HD Special Calibration	HD Special Calibration
Rear Shocks	HD Special Calibration	HD Special Calibration
Alternator	80 Amp	80 Amp
Battery	4000 Watt	4000 Watt
Cooling	Super Cooling	Super Cooling
L/S Axle Option	Not Available	Not Available

A POLICE VEHICLE MUST BE ABLE TO DO WHAT A CIVILIAN VEHICLE CAN DO . . . AND THEN SOME!

At Pontiac, we couldn't agree with this description more.

But we also know that alert and progressive police fleet buyers are finding it more important to identify and satisfy their specific police vehicle needs. And, currently, two of the most sought after vehicle qualities are versatility and performance.

Today, a police vehicle is expected to be able to perform in a variety of roles, both by itself and when teamed with other vehicles . . . and do it with a minimum of down-time and operating costs.

The 1977 line of Pontiac police vehicles is ideally suited to meet these stringent requirements. The all-new Catalinas provide full-size interiors and performance levels with reduced exterior bulk and road weight. The compact Venturas perform admirably in urban patrol situations, or for one-man patrols. And the intermediate-size LeMans is a smart choice where one needs a practical mid-size patrol vehicle or a high-performance pursuit vehicle.

But Pontiac also recognizes that most of the duty time in a police vehicle is spent between

active police functions. The need, then, is for quiet, comfortable, relaxing environments for the officers, qualities in which '77 Pontiac police vehicles excel. That's one reason why Pontiac offers police fleet buyers a choice of three types of front seats . . . full-width, solid-back bench seats (sedans and wagon), individually-adjustable bucket seats (avail. all models), or the individually-adjustable 60/40 full-width seat (Catalina or LeMans), each with full-depth-foam seat construction.

PONTIAC ACCEPTANCE

Here is a partial list of the states, counties and cities purchasing Pontiac cars for police duty during 1976.

STATES

Georgia
Oregon
Oklahoma
South Carolina
Utah
New Hampshire
Missouri
Illinois
North Carolina
Iowa
Wyoming
Wisconsin

COUNTIES

Baltimore, Maryland
Nassau, New York
Jefferson, Alabama
Sacramento, California
Anne Arundel, Maryland
Dane, Wisconsin
DuPage, Illinois
Fresno, California
St. Louis, Missouri
Neuces, Texas
Multnomah, Oregon
Horry, South Carolina

Leon, Florida
Howard, Maryland
Grant, Wisconsin
Pennington, Nebraska
Washtenaw, Michigan
Hamilton, Ohio

CITIES

New York, New York
Dallas, Texas
Louisville, Kentucky
Cincinnati, Ohio
Greensboro, North Carolina

St. Louis, Missouri
Fresno, California
Chattanooga, Tennessee
Huntsville, Alabama
Santa Fe, New Mexico
Jackson, Mississippi
Hartford, Connecticut
Fayetteville, Arkansas
Bakersville, California
Lynchburg, Virginia
Charleston, South Carolina
Tucson, Arizona
Provo, Utah

Des Moines, Iowa
Gainesville, Florida
Las Vegas, Nevada
Memphis, Tennessee
Scotts Bluff, Nebraska
Miami, Florida
Tallahassee, Florida
Midland, Texas
Waukegan, Illinois
Ferguson, Missouri
Battle Creek, Michigan
Greenfield, Wisconsin
Danville, Virginia

Every 1977 Pontiac can be ordered in standard '77 colors or in your department's specific color and color break pattern. For more information on any 1977 Pontiac police vehicle or for assistance in compiling technical information for formulating your '77 police fleet specifications, contact your

Pontiac dealer.

Pontiac Motor Division reserves the right to make changes at any time, without notice, in prices, colors, materials, equipment, specifications and models, and also to discontinue models.

